

⌘T File menu  
⇧⌘T Method menu  
⌥⌘T Bundle menu

⌃⇧ Rails menu  
⌃⌥⌘ Navigation menu  
⌃⌥⌘ Navigate



### MODELS

mcol Create column in table  
t. Create sexy column  
hm, ho, hmt, bt Model associations  
v(a|u|c|p|f|n|e|l|i) Validations  
⌃⇧⌘S Show schema

### CONTROLLERS

⌃⌘⇧↓ Navigation menu  
⌃⌥⌘↓ Navigate  
fin, finf, fini Model finders  
^P params[:id]  
rest respond\_to block  
wants wants block  
defcreate create action  
rea redirect

### TEST::UNIT

⌃＼ Test runner menu  
⌃⌚ Show fixture names for model  
⌘R, ⌃⇧R Run test  
def(t|tp) Method or test method  
as(e|m|d|...) Assertions

### VIEWS

ft, ff, ffe form\_for  
f. Form element  
⌃⇧< ERB tag  
⌃⇧H Create partial from selection  
rp(c|o|s|l) Render partial  
li(p|pp|np|a|c|m|...) link\_to

### ROUTES

map(r|rs|wo|ca) Routes

### KEY SYMBOLS

⌃ Control  
⌃ Option  
⌘ Command  
⇧ Shift  
⌚ Escape  
→ Return  
⌃ Enter (fn+Return)  
⌫ Delete  
⌦ Backspace (fn+Delete)

### GENERAL

⌘⇧{} Toggle {} and do-end

GET THE SCREENCAST BY BUNDLE DEVELOPER DR. NIC WILLIAMS AT [HTTP://PEEPCode.COM/PRODUCTS/TEXTMATE-FOR-RAILS-2](http://PEEPCode.COM/PRODUCTS/TEXTMATE-FOR-RAILS-2)